



ADJUSTABLE ALUMINUM GANTRY CRANE -AHA-15-8-12-PNU

APPROX WEIGHT: 288 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



3D VIEW SHOWN FOR
REFERENCE ONLY

STANDARD FEATURES

MODEL NUMBER IS AHA-15-8-12-PNU
CAPACITY IS 1,500 LBS.
BASE WIDTH IS 53 3/4"
MAX OVERALL HEIGHT IS 156 1/4"
I-BEAM HEIGHT IS 6"
I-BEAM FLANGE WIDTH IS 3 5/16"
OVERALL I-BEAM LENGTH IS 96"
USABLE I-BEAM LENGTH IS 72 1/4"
ADJUSTABLE UNDER I-BEAM HEIGHT
120 1/4"
HEIGHT IS ADJUSTABLE IN 6" INCREMENTS
CASTERS: (4) 12" X 3 1/2" WIDE
PNEUMATIC SWIVEL CASTERS WITH
FOUR LOCKING POSITIONS
CRANE MAY BE TAKEN APART AND BUNDLED WITH
(2) INCLUDED STRAPS FOR EASY TRANSPORT
ALUMINUM CONSTRUCTION

SPECIAL FEATURES

NONE

DIMENSION TOLERANCE $\pm 1/4"$

APPROVAL	I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.	
	UNITS REQUIRING APPROVAL DRAWINGS OR MODIFIED ARE NON-RETURNABLE	
	[] As drawn [] As marked	
	Signed: _____ Date: _____	
Printed Name: _____		
LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING		



DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888-990-1150		W.O.#
		X
DRAWN BY:	DATE:	SALES:
ND	07/11/13	X
REFERENCE:	SCALE:	FILE NAME:
X	1:38	
QUOTED LEAD TIME:	QUOTE #	
X	X	28-007-287

ADJUSTABLE ALUMINUM GANTRY CRANE -AHA-15-10-12-PNU

APPROX WEIGHT: 295 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



3D VIEW SHOWN FOR
REFERENCE ONLY

DIMENSION TOLERANCE $\pm 1/4"$

STANDARD FEATURES

MODEL NUMBER IS AHA-15-10-12-PNU
CAPACITY IS 1,500 LBS.
BASE WIDTH IS 53 3/4"
MAX OVERALL HEIGHT IS 156 1/4"
I-BEAM HEIGHT IS 6"
I-BEAM FLANGE WIDTH IS 3 5/16"
OVERALL I-BEAM LENGTH IS 120"
USABLE I-BEAM LENGTH IS 96 1/4"
ADJUSTABLE UNDER I-BEAM HEIGHT
120 1/4" MIN
150 1/4" MAX
HEIGHT IS ADJUSTABLE IN 6" INCREMENTS
CASTERS: (4) $\varnothing 12"$ X 3 1/2" WIDE
PNEUMATIC SWIVEL CASTERS WITH
FOUR LOCKING POSITIONS
CRANE MAY BE TAKEN APART AND BUNDLED WITH
(2) INCLUDED STRAPS FOR EASY TRANSPORT
ALUMINUM CONSTRUCTION

SPECIAL FEATURES

NONE

APPROVAL

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
UNITS REQUIRING APPROVAL DRAWINGS OR MODIFIED ARE NON-RETURNABLE
[] As drawn [] As marked

Signed: _____ Date: _____

Printed Name: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING


DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888-990-1150		W.O.#
DRAWN BY: X		SALES: X
DATE: XX/XX/XX		FILE NAME:
REFERENCE: X		28-007-290
QUOTED LEAD TIME: X		QUOTE #
X		

ADJUSTABLE ALUMINUM GANTRY CRANE -AHA-15-12-12-PNU

APPROX WEIGHT: 317 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



STANDARD FEATURES

MODEL NUMBER IS AHA-15-12-12-PNU
CAPACITY IS 1,500 LBS.
BASE WIDTH IS 53 3/4"
MAX OVERALL HEIGHT IS 158 1/4"
I-BEAM HEIGHT IS 8"
I-BEAM FLANGE WIDTH IS 4"
OVERALL I-BEAM LENGTH IS 144"
USABLE I-BEAM LENGTH IS 120 1/4"
ADJUSTABLE UNDER I-BEAM HEIGHT
120 1/4" MIN
150 1/4" MAX
HEIGHT IS ADJUSTABLE IN 6" INCREMENTS
CASTERS: (4) $\phi 12"$ X 3 1/2" WIDE
PNEUMATIC SWIVEL CASTERS WITH
FOUR LOCKING POSITIONS
CRANE MAY BE TAKEN APART AND BUNDLED WITH
(2) INCLUDED STRAPS FOR EASY TRANSPORT
ALUMINUM CONSTRUCTION

SPECIAL FEATURES

NONE

DIMENSION TOLERANCE $\pm 1/4"$

APPROVAL

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
UNITS REQUIRING APPROVAL DRAWINGS OR MODIFIED ARE NON-RETURNABLE
[] As drawn [] As marked

Signed: _____ Date: _____

Printed Name: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING


DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888-990-1150		W.O.#
DRAWN BY: ND		X
DATE: 07/11/13		SALES: X
REFERENCE: X		SCALE: 1:38
QUOTED LEAD TIME: X		FILE NAME:
QUOTE # X		28-007-293

ADJUSTABLE ALUMINUM GANTRY CRANE -AHA-15-15-12-PNU

APPROX WEIGHT: 368 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



DIMENSION TOLERANCE $\pm 1/4"$

STANDARD FEATURES

MODEL NUMBER IS AHA-15-15-12-PNU
CAPACITY IS 1,500 LBS.

BASE WIDTH IS 53 3/4"

MAX OVERALL HEIGHT IS 158 1/4"

I-BEAM HEIGHT IS 8"

I-BEAM FLANGE WIDTH IS 4 3/16"

OVERALL I-BEAM LENGTH IS 180"

USABLE I-BEAM LENGTH IS 156 1/4"

ADJUSTABLE UNDER I-BEAM HEIGHT

120 1/4" MIN

150 1/4" MAX

HEIGHT IS ADJUSTABLE IN 6" INCREMENTS

CASTERS: (4) Ø12" X 3 1/2" WIDE

PNEUMATIC SWIVEL CASTERS WITH
FOUR LOCKING POSITIONS

CRANE MAY BE TAKEN APART AND BUNDLED WITH

(2) INCLUDED STRAPS FOR EASY TRANSPORT

ALUMINUM CONSTRUCTION

SPECIAL FEATURES

NONE

APPROVAL

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
UNITS REQUIRING APPROVAL DRAWINGS OR MODIFIED ARE NON-RETURNABLE
[] As drawn [] As marked

Signed: _____ Date: _____

Printed Name: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888-990-1150		W.O.#
DRAWN BY: ND		X
DATE: 07/11/13		SALES: X
REFERENCE: X	SCALE: 1:38	FILE NAME:
QUOTED LEAD TIME: X	QUOTE # X	28-007-296