


ALUMINUM SHEET DECK PLATFORM TRUCK - ASD-2448

APPROX WEIGHT: 77 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***
ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON




STANDARD FEATURES

- MODEL NUMBER IS ASD-2448
- CAPACITY IS 3,600 LBS.
- DECK WIDTH IS 24 INCHES
- DECK LENGTH IS 48 INCHES
- PLATFORM HEIGHT IS 10 INCHES
- POLY ON STEEL CASTERS
 - 2 - 5 x 2 RIGID
 - 2 - 5 x 2 SWIVEL
- HANDLE WIDTH IS 22 15/16 INCHES
- WELDED ALUMINUM CONSTRUCTION
- REMOVABLE HANDLE
- SMOOTH ALUMINUM SHEET DECK SURFACE

SPECIAL FEATURES

NONE



DIMENSION TOLERANCE $\pm 1/4"$

APPROVAL

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
ALL SPECIAL UNITS ARE NON-RETURNABLE
[] As drawn [] As marked

Signed: _____ Date: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING




DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888-990-1150		W.O.#
DRAWN BY: CA		X
DATE: 07/25/2011		SALES:
REFERENCE: X		FILE NAME:
QUOTED LEAD TIME: X		33-007-036-001
QUOTE # X		

ALUMINUM SHEET DECK PLATFORM TRUCK - ASD-2460

APPROX WEIGHT: 86 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



STANDARD FEATURES

MODEL NUMBER IS ASD-2460

CAPACITY IS 3,600 LBS.

DECK WIDTH IS 24 INCHES

DECK LENGTH IS 60 INCHES

PLATFORM HEIGHT IS 10 INCHES

POLY ON STEEL CASTERS

2 - 5 x 2 RIGID

2 - 5 x 2 SWIVEL

HANDLE WIDTH IS 22 15/16 INCHES

WELDED ALUMINUM CONSTRUCTION

REMOVABLE HANDLE

SMOOTH ALUMINUM SHEET DECK SURFACE

Ø 5" X 2"
POLY-ON-STEEL SWIVEL
CASTERS

FOR INTERNAL USE ONLY
PROJECT SIGN OFF

SALES	
ENG.	
FAB.	
POWER	

SPECIAL FEATURES
NONE

**A
P
P
R
O
V
A
L**

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.

ALL SPECIAL UNITS ARE NON-RETURNABLE

[] As drawn [] As marked

Signed: _____ Date: _____


LEAD TIME WILL START UPON RECEIPT
OF SIGNED APPROVAL DRAWING

DISTRIBUTOR'S NAME:		P.O.#	X
HOF EQUIPMENT COMPANY		W.O.#	X
PH: 888-990-1150		SALES:	X
DRAWN BY: CA	DATE: 07/25/2011	SCALE: 1:14	FILE NAME:
REFERENCE: X	QUOTED LEAD TIME: X	QUOTE # X	33-007-035-001

ALUMINUM SHEET DECK PLATFORM TRUCK - ASD-3048

APPROX WEIGHT: 83 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***
ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON




STANDARD FEATURES

MODEL NUMBER IS ASD-3048
CAPACITY IS 3,600 LBS.
DECK WIDTH IS 30 INCHES
DECK LENGTH IS 48 INCHES
PLATFORM HEIGHT IS 10 INCHES
POLY ON STEEL CASTERS
2 - 5 x 2 RIGID
2 - 5 x 2 SWIVEL
HANDLE WIDTH IS 28 15/16 INCHES
WELDED ALUMINUM CONSTRUCTION
REMOVABLE HANDLE
SMOOTH ALUMINUM SHEET DECK SURFACE

Ø 5" X 2"
POLY-ON-STEEL SWIVEL
CASTERS
Ø 5" X 2"
POLY-ON-STEEL RIGID
CASTERS

FOR INTERNAL USE ONLY PROJECT SIGN OFF	
SALES	
ENG.	
FAB.	
POWER	

SPECIAL FEATURES
NONE



**A
P
P
R
O
V
A
L**

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
ALL SPECIAL UNITS ARE NON-RETURNABLE
[] As drawn [] As marked

Signed: _____ Date: _____



LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

DISTRIBUTOR'S NAME:		P.O.#	X
HOF EQUIPMENT COMPANY		W.O.#	X
PH: 888-990-1150		SALES:	X
DRAWN BY: CA	DATE: 07/25/2011	FILE NAME:	
REFERENCE: X	SCALE: 1:14	33-007-034-001	
QUOTED LEAD TIME: X	QUOTE # X		

APPROX WEIGHT: 94 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

ALUMINUM SHEET DECK PLATFORM TRUCK- ASD-3060

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***
ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



STANDARD FEATURES

- MODEL NUMBER IS ASD-3060
- CAPACITY IS 3,600 LBS.
- DECK WIDTH IS 30 INCHES
- DECK LENGTH IS 60 INCHES
- PLATFORM HEIGHT IS 10 INCHES
- POLY ON STEEL CASTERS
 - 2 - 5 x 2 RIGID
 - 2 - 5 x 2 SWIVEL
- HANDLE WIDTH IS 28 15/16 INCHES
- WELDED ALUMINUM CONSTRUCTION
- REMOVABLE HANDLE
- SMOOTH ALUMINUM SHEET DECK SURFACE

Ø 5" X 2"
POLY-ON-STEEL SWIVEL
CASTERS

Ø 5" X 2"
POLY-ON-STEEL RIGID
CASTERS

FOR INTERNAL USE ONLY PROJECT SIGN OFF	
SALES	
ENG.	
FAB.	
POWER	

SPECIAL FEATURES
NONE

**A
P
P
R
O
V
A
L**

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
ALL SPECIAL UNITS ARE NON-RETURNABLE
[] As drawn [] As marked

Signed: _____ Date: _____



LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

DISTRIBUTOR'S NAME:		P.O.#	X
HOF EQUIPMENT COMPANY		W.O.#	X
PH: 888-990-1150		SALES:	X
DRAWN BY: CA	DATE: 07/25/2011	FILE NAME:	
REFERENCE: X	SCALE: 1:14	33-007-033-001	
QUOTED LEAD TIME: X	QUOTE # X		

ALUMINUM SHEET DECK PLATFORM TRUCK- ASD-3672

APPROX WEIGHT: 114 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***
ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



STANDARD FEATURES

MODEL NUMBER IS ASD-3672
CAPACITY IS 3,600 LBS.
DECK WIDTH IS 36 INCHES
DECK LENGTH IS 72 INCHES
PLATFORM HEIGHT IS 10 INCHES
POLY ON STEEL CASTERS
2 - 5 x 2 RIGID
2 - 5 x 2 SWIVEL
HANDLE WIDTH IS 34 15/16 INCHES
WELDED ALUMINUM CONSTRUCTION
REMOVABLE HANDLE
SMOOTH ALUMINUM SHEET DECK SURFACE

Ø 5" X 2" POLY-ON-STEEL SWIVEL CASTERS
Ø 5" X 2" POLY-ON-STEEL RIGID CASTERS

FOR INTERNAL USE ONLY PROJECT SIGN OFF	
SALES	
ENG.	
FAB.	
POWER	

SPECIAL FEATURES
NONE

APPROVAL

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
ALL SPECIAL UNITS ARE NON-RETURNABLE
[] As drawn [] As marked

Signed: _____ Date: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

DISTRIBUTOR'S NAME:		P.O.#	X
HOF EQUIPMENT COMPANY		W.O.#	X
PH: 888-990-1150		SALES:	X
DRAWN BY: CA	DATE: 07/25/2011	FILE NAME:	
REFERENCE: X	SCALE: 1:16	33-007-032-001	
QUOTED LEAD TIME: X	QUOTE # X		