


APPROX WEIGHT: 51.13 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



DIMENSION TOLERANCE $\pm 1/4"$

SPECIAL FEATURES

NONE

MODEL NUMBER: HPRO-36-24-4
MACHINE GUARD HEIGHT: 24 9/16"
MACHINE GUARD LENGTH: 36 5/8"
MACHINE GUARD PIPE DIAMETER: Ø4 1/2"
OVERALL LENGTH IS: 40 1/8"
INCLUDES 2 MOUNTING BRACKETS
TOUGH BAKED IN POWDER COATED YELLOW FINISH
BLACK & YELLOW SAFETY STRIPES
ALL STEEL CONSTRUCTION (ASTM A-36 MIN.)
WITH WELDING TO MEET AWS
WARNING: CHECK APPLICABLE STATE AND
LOCAL LAWS FOR YOUR AREA

**A
P
P
R
O
V
A
L**

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.

ANY MODIFIED UNITS ARE NON-RETURNABLE

☐ As drawn ☐ As marked

Signed: _____ Date: _____

Printed Name: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

DISTRIBUTOR'S NAME:

HOF EQUIPMENT COMPANY
PH: 888.990.1150

P.O.#	X
-------	---

W.O.#	X
-------	---

DRAWN BY: ND

DATE: 6/7/2005

SALES:	X
--------	---

REFERENCE: X

SCALE: 1:10

FILE NAME:

QUOTED LEAD TIME: X

QUOTE #	X
---------	---

23-007-053

FOR INTERNAL USE ONLY
PROJECT SIGN OFF

SALES

ENG.

FAB.


POWER

HIGH PROFILE MACHINERY GUARD - HPRO-36-36-4

APPROX WEIGHT: 62.19 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



DIMENSION TOLERANCE $\pm 1/4$ "

APPROVAL

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.

ANY MODIFIED UNITS ARE NON-RETURNABLE

[] As drawn [] As marked

Signed: _____ Date: _____

Printed Name: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

STANDARD FEATURES

MODEL NUMBER: HPRO-36-36-4
MACHINE GUARD HEIGHT: 36 9/16"
MACHINE GUARD LENGTH: 36 5/8"
MACHINE GUARD DIAMETER: $\varnothing 4 \frac{1}{2}$ "
OVERALL LENGTH: 40 1/8"
INCLUDES 2 MOUNTING BRACKETS
TOUGH BAKED IN POWDER COATED YELLOW FINISH
BLACK AND YELLOW SAFETY STRIPES
ALL STEEL CONSTRUCTION
(ASTM A-36 MIN.) WITH
WELDING TO MEET AWS
WARNING: CHECK APPLICABLE STATE
& LOCAL LAWS FOR YOUR AREA

SPECIAL FEATURES

NONE

FOR INTERNAL USE ONLY
PROJECT SIGN OFF

SALES	
ENG.	
FAB.	
POWER	

DISTRIBUTOR'S NAME:

HOF EQUIPMENT COMPANY
PH: 888.990.1150

P.O.# X

W.O.# X

DRAWN BY: ND

DATE: 6/7/2005

SALES: X

REFERENCE: X

SCALE: 1:12

FILE NAME:

QUOTED LEAD TIME: X

QUOTE # X


23-007-064

HIGH PROFILE MACHINERY GUARD - HPRO-36-42-4

APPROX WEIGHT: 72.98 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



STANDARD FEATURES

MODEL NUMBER: HPRO-36-42-4
MACHINE GUARD HEIGHT: 42 9/16"
MACHINE GUARD LENGTH: 36 5/8"
MACHINE GUARD MIDRAIL HEIGHT: 21"
MACHINE GUARD DIAMETER: Ø4 1/2"
OVERALL LENGTH: 40 1/8"
INCLUDES 2 MOUNTING BRACKETS
TOUGH BAKED IN POWDER COATED YELLOW FINISH
BLACK AND YELLOW SAFETY STRIPES
ALL STEEL CONSTRUCTION
(ASTM A-36 MIN.) WITH
WELDING TO MEET AWS
WARNING: CHECK APPLICABLE STATE
& LOCAL LAWS FOR YOUR AREA

SPECIAL FEATURES

NONE

DIMENSION TOLERANCE ± 1/4"

APPROVAL

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.

ANY MODIFIED UNITS ARE NON-RETURNABLE

[] As drawn [] As marked

Signed: _____ Date: _____

Printed Name: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

FOR INTERNAL USE ONLY
PROJECT SIGN OFF

SALES	
ENG.	
FAB.	
POWER	


DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888.990.1150		W.O.#
DRAWN BY: ND		X
DATE: 6/7/2005		SALES: X
REFERENCE: X	SCALE: 1:15	FILE NAME:
QUOTED LEAD TIME: X	QUOTE # X	23-007-116

HIGH PROFILE MACHINERY GUARD - HPRO-48-24-4

APPROX WEIGHT: 56.72 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



DIMENSION TOLERANCE $\pm 1/4"$

STANDARD FEATURES

MODEL NUMBER: HPRO-48-24-4
MACHINE GUARD HEIGHT: 24 9/16"
MACHINE GUARD LENGTH: 48 5/8"
MACHINE GUARD PIPE DIAMETER: Ø 4 1/2"
OVERALL LENGTH IS: 52 1/8"
INCLUDES 2 MOUNTING BRACKETS
TOUGH BAKED IN POWDER COATED YELLOW FINISH
BLACK AND YELLOW SAFETY STRIPES
ALL STEEL CONSTRUCTION (ASTM A-36 MIN.)
WITH WELDING TO MEET AWS
WARNING: CHECK APPLICABLE STATE AND
LOCAL LAWS FOR YOUR AREA

SPECIAL FEATURES

NONE

APPROVAL

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.

ANY MODIFIED UNITS ARE NON-RETURNABLE

[] As drawn [] As marked

Signed: _____ Date: _____

Printed Name: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

FOR INTERNAL USE ONLY
PROJECT SIGN OFF

SALES	
ENG.	
FAB.	
POWER	

DISTRIBUTOR'S NAME:

HOF EQUIPMENT COMPANY
PH: 888.990.1150

P.O.#

X

W.O.#

X

DRAWN BY: ND

DATE: 6/7/2005

SALES: X

REFERENCE: X

SCALE: 1:12

FILE NAME:

QUOTED LEAD TIME: X

QUOTE #
X


23-007-055

HIGH PROFILE MACHINERY GUARD - HPRO-48-36-4

APPROX WEIGHT: 67.77 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



DIMENSION TOLERANCE $\pm 1/4"$

STANDARD FEATURES

MODEL NUMBER IS HPRO-48-36-4
MACHINE GUARD HEIGHT: 36 9/16"
MACHINE GUARD LENGTH: 48 5/8"
MACHINE GUARD DIAMETER: Ø4 1/2"
OVERALL LENGTH: 52 1/8"
INCLUDES 2 MOUNTING BRACKETS
TOUGH BAKED IN POWDER COATED YELLOW FINISH
BLACK AND YELLOW SAFETY STRIPES
ALL STEEL CONSTRUCTION
(ASTM A-36 MIN.) WITH
WELDING TO MEET AWS
WARNING: CHECK APPLICABLE
STATE & LOCAL LAWS IN YOUR AREA

SPECIAL FEATURES

NONE

APPROVAL

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.

ANY MODIFIED UNITS ARE NON-RETURNABLE

[] As drawn [] As marked

Signed: _____ Date: _____

Printed Name: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

FOR INTERNAL USE ONLY
PROJECT SIGN OFF

SALES	
ENG.	
FAB.	
POWER	

DISTRIBUTOR'S NAME:

HOF EQUIPMENT COMPANY
PH: 888.990.1150

P.O.#

X

W.O.#

X

DRAWN BY: ND

DATE: 6/7/2005

SALES: X

REFERENCE: X

SCALE: 1:12

FILE NAME:

QUOTED LEAD TIME: X

QUOTE #
X


23-007-063

HIGH PROFILE MACHINERY GUARD - HPRO-48-42-4

APPROX WEIGHT: 80.22 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



DIMENSION TOLERANCE $\pm 1/4"$

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.

ANY MODIFIED UNITS ARE NON-RETURNABLE

[] As drawn [] As marked

Signed: _____ Date: _____

Printed Name: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

APPROVAL

DISTRIBUTOR'S NAME:

HOF EQUIPMENT COMPANY
PH: 888.990.1150

P.O.#

X

W.O.#

X

DRAWN BY: ND

DATE: 6/7/2005

SALES: X

REFERENCE: X

SCALE: 1:15

FILE NAME:

QUOTED LEAD TIME: X

QUOTE #
X

23-007-117

FOR INTERNAL USE ONLY
PROJECT SIGN OFF

SALES

ENG.

FAB.

POWER

STANDARD FEATURES

MODEL NUMBER: HPRO-48-42-4
MACHINE GUARD HEIGHT: 42 9/16"
MACHINE GUARD LENGTH: 48 5/8"
MACHINE GUARD MIDRAIL HEIGHT: 21"
MACHINE GUARD DIAMETER: Ø4 1/2"
OVERALL LENGTH: 52 1/8"
INCLUDES 2 MOUNTING BRACKETS
TOUGH BAKED IN POWDER COATED YELLOW FINISH
BLACK AND YELLOW SAFETY STRIPES
ALL STEEL CONSTRUCTION
(ASTM A-36 MIN.) WITH
WELDING TO MEET AWS
WARNING: CHECK APPLICABLE STATE
& LOCAL LAWS FOR YOUR AREA

SPECIAL FEATURES


NONE

HIGH PROFILE MACHINERY GUARD - HPRO-60-42-4

APPROX WEIGHT: 87.55 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



DIMENSION TOLERANCE $\pm 1/4$ "

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.

ANY MODIFIED UNITS ARE NON-RETURNABLE

[] As drawn [] As marked

Signed: _____ Date: _____

Printed Name: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

APPROVAL

STANDARD FEATURES

MODEL NUMBER: HPRO-60-42-4
MACHINE GUARD HEIGHT: 42 9/16"
MACHINE GUARD LENGTH: 60 5/8"
MACHINE GUARD MIDRAIL HEIGHT: 21"
MACHINE GUARD DIAMETER: 4 1/2"
OVERALL LENGTH: 64 1/8"
INCLUDES 2 MOUNTING BRACKETS
TOUGH BAKED IN POWDER COATED YELLOW FINISH
BLACK AND YELLOW SAFETY STRIPES
ALL STEEL CONSTRUCTION
(ASTM A-36 MIN.) WITH
WELDING TO MEET AWS
WARNING: CHECK APPLICABLE STATE
& LOCAL LAWS FOR YOUR AREA

SPECIAL FEATURES

NONE

FOR INTERNAL USE ONLY
PROJECT SIGN OFF

SALES	
ENG.	
FAB.	
POWER	


DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888.990.1150		W.O.#
DRAWN BY: ND		X
DATE: 7/24/2015		SALES:
REFERENCE: X		FILE NAME:
QUOTED LEAD TIME: X		23-007-262
QUOTE #		
X		

HIGH PROFILE MACHINERY GUARD - HPRO-72-42-4

APPROX WEIGHT: 94.93 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



3D VIEW SHOWN
FOR REFERENCE ONLY

DIMENSION TOLERANCE $\pm 1/4"$

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.

ANY MODIFIED UNITS ARE NON-RETURNABLE

[] As drawn [] As marked

Signed: _____ Date: _____

Printed Name: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

APPROVAL

STANDARD FEATURES

MODEL NUMBER: HPRO-72-42-4
MACHINE GUARD HEIGHT: 42 9/16"
MACHINE GUARD LENGTH: 72 5/8"
MACHINE GUARD MIDRAIL HEIGHT: 21"
MACHINE GUARD DIAMETER: Ø4 1/2"
OVERALL LENGTH: 76 1/8"
INCLUDES 2 MOUNTING BRACKETS
TOUGH BAKED IN POWDER COATED YELLOW FINISH
BLACK AND YELLOW SAFETY STRIPES
ALL STEEL CONSTRUCTION
(ASTM A-36 MIN.) WITH
WELDING TO MEET AWS
WARNING: CHECK APPLICABLE STATE
& LOCAL LAWS FOR YOUR AREA

SPECIAL FEATURES

NONE

FOR INTERNAL USE ONLY
PROJECT SIGN OFF

SALES	
ENG.	
FAB.	
POWER	

DISTRIBUTOR'S NAME:

HOF EQUIPMENT COMPANY
PH: 888.990.1150

P.O.#

X

W.O.#

X

DRAWN BY: ND

DATE: 7/27/2015

SALES: X

REFERENCE: X

SCALE: 1:15

FILE NAME:

QUOTED LEAD TIME: X

QUOTE #
X

23-007-269