


DOUBLE SIDED STEP LADDER, PORTABLE, 3-STEP, PERFORATED - LAD-DD-P-18-3-P

APPROX WEIGHT: 70.46 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***
ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



DIMENSION TOLERANCE ± 1/4"

STANDARD FEATURES

MODEL NUMBER IS LAD-DD-P-18-3-P
OVERALL WIDTH IS 19 5/16"
USABLE WIDTH IS 16 13/16"
OVERALL LENGTH IS 48 13/16"
USABLE LENGTH IS 47 1/2"
OVERALL HEIGHT IS 30"
STEP DEPTH IS 7"
TOP PLATFORM DEPTH IS 14"
ANGLE OF INCLINE IS 50°
STEP STYLE IS PERFORATED
COLOR IS VESTIL YELLOW
MAX CAPACITY IS 350 LBS
WHEEL SIZE IS Ø 2"

NOTE

NONE

SPECIAL FEATURES

NONE

APPROVAL


I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
ALL SPECIAL UNITS ARE NON-RETURNABLE
[] As drawn [] As marked

Signed: _____ Date: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

FOR INTERNAL USE ONLY PROJECT SIGN OFF	
SALES	
ENG.	
FAB.	
POWER	

DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888-990-1150		W.O.#
DRAWN BY: B.NOTHNAGEL		X
DATE: 08/27/2014		SALES: X
REFERENCE: X		FILE NAME:
QUOTED LEAD TIME: X		44-007-535
QUOTE # X		
SCALE: 1:12		



STANDARD FEATURES

MODEL NUMBER IS LAD-DD-P-18-3-G
OVERALL WIDTH IS 19 5/16"
USABLE WIDTH IS 16 13/16"
OVERALL LENGTH IS 48 13/16"
USABLE LENGTH IS 47 1/2"
OVERALL HEIGHT IS 30"
STEP DEPTH IS 7"
TOP PLATFORM DEPTH IS 14"
ANGLE OF INCLINE IS 50°
STEP STYLE IS GRIP STRUT
COLOR IS VESTIL YELLOW
MAX CAPACITY IS 350 LBS
WHEEL SIZE IS Ø 2"

NOTE

NONE

SPECIAL FEATURES

NONE

DIMENSION TOLERANCE ± 1/4"

APPROVAL

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
ALL SPECIAL UNITS ARE NON-RETURNABLE
[] As drawn [] As marked

Signed: _____ Date: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING




FOR INTERNAL USE ONLY PROJECT SIGN OFF	
SALES	
ENG.	
FAB.	
POWER	

DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888-990-1150		W.O.#
DRAWN BY: B.NOTHNAGEL		X
DATE: 08/27/2014		SALES:
REFERENCE: X		FILE NAME:
QUOTED LEAD TIME: X		44-007-526
QUOTE # X		
SCALE: 1:12		

DOUBLE SIDED STEP LADDER, PORTABLE, 3-STEP, PERFORATED - LAD-DD-P-26-3-P

APPROX WEIGHT: 84.66 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***
ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



STANDARD FEATURES

MODEL NUMBER IS LAD-DD-P-26-3-P
OVERALL WIDTH IS 26 1/16"
USABLE WIDTH IS 23 9/16"
OVERALL LENGTH IS 48 13/16"
USABLE LENGTH IS 47 1/2"
OVERALL HEIGHT IS 30"
STEP DEPTH IS 7"
TOP PLATFORM DEPTH IS 14"
ANGLE OF INCLINE IS 50°
STEP STYLE IS PERFORATED
COLOR IS VESTIL YELLOW
MAX CAPACITY IS 350 LBS
WHEEL SIZE IS Ø 2"

NOTE

NONE

SPECIAL FEATURES

NONE

DIMENSION TOLERANCE ± 1/4"

APPROVAL




I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
ALL SPECIAL UNITS ARE NON-RETURNABLE
[] As drawn [] As marked

Signed: _____ Date: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

FOR INTERNAL USE ONLY PROJECT SIGN OFF	
SALES	
ENG.	
FAB.	
POWER	

DISTRIBUTOR'S NAME:		P.O.#	X
HOF EQUIPMENT COMPANY		W.O.#	X
PH: 888-990-1150		SALES:	X
DRAWN BY:	B.NOTHNAGEL	DATE:	08/27/2014
REFERENCE:	X	SCALE:	1:14
QUOTED LEAD TIME:	X	QUOTE #	X
		FILE NAME:	44-007-538



STANDARD FEATURES

MODEL NUMBER IS LAD-DD-P-26-3-G
OVERALL WIDTH IS 26 1/16"
USABLE WIDTH IS 23 9/16"
OVERALL LENGTH IS 48 13/16"
USABLE LENGTH IS 47 1/2"
OVERALL HEIGHT IS 30"
STEP DEPTH IS 7"
TOP PLATFORM DEPTH IS 14"
ANGLE OF INCLINE IS 50°
STEP STYLE IS GRIP STRUT
COLOR IS VESTIL YELLOW
MAX CAPACITY IS 350 LBS
WHEEL SIZE IS Ø 2"

NOTE

NONE

SPECIAL FEATURES

NONE

DIMENSION TOLERANCE ± 1/4"

APPROVAL

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
ALL SPECIAL UNITS ARE NON-RETURNABLE
[] As drawn [] As marked

Signed: _____ Date: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING




FOR INTERNAL USE ONLY PROJECT SIGN OFF	
SALES	
ENG.	
FAB.	
POWER	

DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888-990-1150		W.O.#
DRAWN BY: B.NOTHNAGEL		X
DATE: 08/27/2014		SALES:
REFERENCE: X		FILE NAME:
QUOTED LEAD TIME: X		44-007-529
QUOTE # X		
SCALE: 1:14		

DOUBLE SIDED STEP LADDER, PORTABLE, 3-STEP, PERFORATED - LAD-DD-P-32-3-P

APPROX WEIGHT: 98.88 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***
ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



STANDARD FEATURES

MODEL NUMBER IS LAD-DD-P-32-3-P
OVERALL WIDTH IS 32 3/4"
USABLE WIDTH IS 30 1/4"
OVERALL LENGTH IS 48 13/16"
USABLE LENGTH IS 47 1/2"
OVERALL HEIGHT IS 30"
STEP DEPTH IS 7"
TOP PLATFORM DEPTH IS 14"
ANGLE OF INCLINE IS 50°
STEP STYLE IS PERFORATED
COLOR IS VESTIL YELLOW
MAX CAPACITY IS 350 LBS
WHEEL SIZE IS Ø 2"

NOTE

NONE

SPECIAL FEATURES

NONE

DIMENSION TOLERANCE ± 1/4"

APPROVAL

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
ALL SPECIAL UNITS ARE NON-RETURNABLE
[] As drawn [] As marked

Signed: _____ Date: _____




LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

FOR INTERNAL USE ONLY PROJECT SIGN OFF	
SALES	
ENG.	
FAB.	
POWER	

DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888-990-1150		W.O.#
DRAWN BY: B.NOTHNAGEL		X
DATE: 08/27/2014		SALES:
REFERENCE: X		FILE NAME:
QUOTED LEAD TIME: X		44-007-541
QUOTE # X		
SCALE: 1:15		

DOUBLE SIDED STEP LADDER, PORTABLE, 3-STEP, GRIP STRUT - LAD-DD-P-32-3-G
*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***
ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON

APPROX WEIGHT: 100.68 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!



STANDARD FEATURES

MODEL NUMBER IS LAD-DD-P-32-3-G
OVERALL WIDTH IS 32 3/4"
USABLE WIDTH IS 30 1/4"
OVERALL LENGTH IS 48 13/16"
USABLE LENGTH IS 47 1/2"
OVERALL HEIGHT IS 30"
STEP DEPTH IS 7"
TOP PLATFORM DEPTH IS 14"
ANGLE OF INCLINE IS 50°
STEP STYLE IS GRIP STRUT
COLOR IS VESTIL YELLOW
MAX CAPACITY IS 350 LBS
WHEEL SIZE IS Ø 2"

NOTE
NONE

SPECIAL FEATURES
NONE

DIMENSION TOLERANCE ± 1/4"

**A
P
P
R
O
V
A
L**

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
ALL SPECIAL UNITS ARE NON-RETURNABLE
[] As drawn [] As marked

Signed: _____ Date: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

FOR INTERNAL USE ONLY PROJECT SIGN OFF	
SALES	
ENG.	
FAB.	
POWER	

DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888-990-1150		W.O.#
DRAWN BY: B.NOTHNAGEL		X
DATE: 08/27/2014		SALES:
REFERENCE: X		FILE NAME:
QUOTED LEAD TIME: X		44-007-532
QUOTE # X		
SCALE: 1:15		