




ADJUSTABLE PANEL DOLLY - PLDL-HD-4-8GFN

APPROX WEIGHT: 41.12 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



STANDARD FEATURES

MODEL NUMBER IS PLDL-HD-4-8GFN
CAPACITY IS: 1,500 LBS.
OVERALL WIDTH IS: 12 1/4"
MAX. USABLE WIDTH IS 3 3/4"
OVERALL LENGTH IS: 11 3/4"
OVERALL HEIGHT IS: 12 1/4"
DOLLY AUTOMATICALLY CLAMPS WHEN
WEIGHT IS APPLIED
STRAP (NOT INCLUDED) CAN BE HOOKED
TO HAND SLOTS
USES TWO 8" GLASS-FILLED NYLON WHEELS
TOUGH BAKED IN POWDER COAT BLUE FINISH

SPECIAL FEATURES

NONE

DIMENSION TOLERANCE $\pm 1/4"$

A P P R O V A L	I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.	
	UNITS REQUIRING APPROVAL DRAWINGS OR MODIFIED ARE NON-RETURNABLE	
	[] As drawn [] As marked	
	Signed: _____ Date: _____	
	Printed Name: _____	
LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING		




DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888.990.1150		W.O.#
		X
DRAWN BY: TAL	DATE: 9/4/2020	SALES: X
REFERENCE: X	SCALE: 1:8	FILE NAME:
QUOTED LEAD TIME: X	QUOTE # X	16-007-514-001

HEAVY DUTY SLAB DOLLY - PLDL-HD-4-8PS

APPROX WEIGHT: 18.73 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



STANDARD FEATURES

MODEL NUMBER IS PLDL-HD-4-8PS
CAPACITY IS: 1,500 LBS.
OVERALL WIDTH IS: 8"
MAX. USABLE WIDTH IS 3 3/4"
OVERALL LENGTH IS: 11 3/4"
OVERALL HEIGHT IS: 12 1/4"
DOLLY AUTOMATICALLY CLAMPS WHEN
WEIGHT IS APPLIED
STRAP (NOT INCLUDED) CAN BE HOOKED
TO HAND SLOTS
USES TWO 8" POLY-ON-STEEL WHEELS
TOUGH BAKED IN POWDER COAT BLUE FINISH

SPECIAL FEATURES

NONE

DIMENSION TOLERANCE $\pm 1/4"$

APPROVAL	I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.	
	UNITS REQUIRING APPROVAL DRAWINGS OR MODIFIED ARE NON-RETURNABLE	
	[] As drawn [] As marked	
	Signed: _____ Date: _____	
	Printed Name: _____	
LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING		




DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888.990.1150		W.O.#
		X
DRAWN BY:	DATE:	SALES:
TAL	9/4/2020	X
REFERENCE:	SCALE: 1:8	FILE NAME:
X		
QUOTED LEAD TIME:	QUOTE #	16-007-514-002
X	X	

HEAVY DUTY DOLLY - PLDL-HD-4-8MR

APPROX WEIGHT: 42.19 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



STANDARD FEATURES

MODEL NUMBER IS PLDL-HD-4-8MR

CAPACITY IS: 1,200 LBS.

OVERALL WIDTH IS: 12 1/4"

MAX. USABLE WIDTH IS 3 3/4"

OVERALL LENGTH IS: 11 3/4"

OVERALL HEIGHT IS: 12 1/4"

DOLLY AUTOMATICALLY CLAMPS WHEN
WEIGHT IS APPLIED

STRAP (NOT INCLUDED) CAN BE HOOKED
TO HAND SLOTS

USES TWO 8" RUBBER-ON-STEEL WHEELS

TOUGH BAKED IN POWDER COAT BLUE FINISH

SPECIAL FEATURES

NONE

DIMENSION TOLERANCE $\pm 1/4"$

APPROVAL

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
UNITS REQUIRING APPROVAL DRAWINGS OR MODIFIED ARE NON-RETURNABLE

[] As drawn [] As marked

Signed: _____ Date: _____

Printed Name: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING




DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888.990.1150		W.O.#
DRAWN BY: TAL		DATE: 9/4/2020
REFERENCE: X		SALES: X
QUOTED LEAD TIME: X		SCALE: 1:8
QUOTE # X		FILE NAME: 16-007-514

HEAVY DUTY SLAB DOLLY - PLDL-HD-4-10PN

APPROX WEIGHT: 25.73 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



DIMENSION TOLERANCE $\pm 1/4"$

STANDARD FEATURES

MODEL NUMBER IS PLDL-HD-4-10PN
CAPACITY IS: 750 LBS.
OVERALL WIDTH IS: 12.9539
MAX. USABLE WIDTH IS 3 3/4"
OVERALL LENGTH IS: 11 3/4"
OVERALL HEIGHT IS: 13 1/4"
DOLLY AUTOMATICALLY CLAMPS WHEN
WEIGHT IS APPLIED
STRAP (NOT INCLUDED) CAN BE HOOKED
TO HAND SLOTS
USES TWO 10" PNEUMATIC WHEELS
TOUGH BAKED IN POWDER COAT BLUE FINISH

SPECIAL FEATURES

NONE

**A
P
P
R
O
V
A
L**

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
UNITS REQUIRING APPROVAL DRAWINGS OR MODIFIED ARE NON-RETURNABLE

[] As drawn [] As marked

Signed: _____ Date: _____

Printed Name: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING




DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888.990.1150		W.O.#
		X
DRAWN BY: TAL	DATE: 9/4/2020	SALES: X
REFERENCE: X	SCALE: 1:8	FILE NAME:
QUOTED LEAD TIME: X	QUOTE # X	16-007-514-004

HEAVY DUTY SLAB DOLLY - PLDL-HD-4-10FF

APPROX WEIGHT: 35.57 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***

ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



DIMENSION TOLERANCE $\pm 1/4"$

STANDARD FEATURES

MODEL NUMBER IS PLDL-HD-4-10FF
CAPACITY IS: 500 LBS.
OVERALL WIDTH IS: 12 13/16"
MAX. USABLE WIDTH IS 3 3/4"
OVERALL LENGTH IS: 11 3/4"
OVERALL HEIGHT IS: 13 1/4"
DOLLY AUTOMATICALLY CLAMPS WHEN
WEIGHT IS APPLIED
STRAP (NOT INCLUDED) CAN BE HOOKED
TO HAND SLOTS
USES TWO 10" FOAM-FILLED WHEELS
TOUGH BAKED IN POWDER COAT BLUE FINISH

SPECIAL FEATURES

NONE

**A
P
P
R
O
V
A
L**

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
UNITS REQUIRING APPROVAL DRAWINGS OR MODIFIED ARE NON-RETURNABLE

[] As drawn [] As marked

Signed: _____ Date: _____

Printed Name: _____





LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

DISTRIBUTOR'S NAME:		P.O.#
HOF EQUIPMENT COMPANY		X
PH: 888.990.1150		W.O.#
DRAWN BY: TAL		X
DATE: 9/4/2020		SALES:
REFERENCE: X		FILE NAME:
QUOTED LEAD TIME: X		16-007-514-003
QUOTE #		
X		

LIGHTWEIGHT PANEL DOLLY - PLDL-LD-2-4PP

APPROX WEIGHT: 8.49 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THISDRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE



ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON

STANDARD FEATURES

- MODEL NUMBER IS PLDL-LD-2-4PP
- CAPACITY IS: 350 LBS.
- OVERALL WIDTH IS: 6 15/16"
- MAX. USABLE WIDTH IS 2 1/4"
- OVERALL LENGTH IS: 10"
- OVERALL HEIGHT IS: 9 9/16"
- DOLLY AUTOMATICALLY CLAMPS WHEN WEIGHT IS APPLIED
- USES TWO 4" POLY-ON-POLY WHEELS

SPECIAL FEATURES

NONE

APPROVAL

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.

ALL SPECIAL UNITS ARE NON-RETURNABLE

[] As drawn [] As marked

Signed: _____ Date: _____

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

DISTRIBUTOR'S NAME:			P.O.#
HOF EQUIPMENT COMPANY			X
PH: 888.990.1150			W.O.#
DRAWN BY:			X
T. MOORE			SALES:
DATE:			X
06/26/09			FILE NAME:
REFERENCE:			16-007-208
X			
SCALE: 1:4			
QUOTE #			
X			